

SMART ARCHITECTURAL SYSTEMS




FAÇADE SYSTEMS



Smart Architectural Systems façade systems are designed with a 50 mm wide mullion and transom that is easily fabricated and assembled.




CW- 50 SERIES



- The CW-50 Series is a non-thermal Curtain Wall system
 - **Mullion/ Transom Width:** 50mm
 - **Mullion / Transom Depth Range:** 55mm - 195mm
 - **Mullion/ Transom Profile Thickness:** 2mm - 3mm
 - **Allowable Glazing Width:** 6mm & 24mm
 - **Tested in Accordance with ASTM Standards :**
 - ASTM E283
 - ASTM E330
 - ASTM E331
 - Compatible with Euro groove accessories
 - Fitted with EPDM gaskets to fully secure the glazing both internally and externally
-

SSG-50 and SG-50 Series



- The SSG-50 and SG-50 Series are non-thermal Semi Structural and Structural Glazing systems respectively
 - **Mullion/ Transom Width:** 50mm
 - **Mullion / Transom Depth Range:** 55mm - 195mm
 - **Mullion/ Transom Profile Thickness:** 2mm - 3mm
 - **Allowable Glazing Width:** 6mm & 26mm
 - **Tested in Accordance with ASTM Standards :**
 - ASTM E283
 - ASTM E330
 - ASTM E331
 - Compatible with Euro groove accessories
 - Fitted with EPDM gaskets to fully secure glazing internally
-